NSN 4720-01-203-7629

17.750 inches working and 18.250 inches working

Cross Sectional Shape:

Round

Thread Class: 2b 1st end

Thread Direction: Right-hand 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-203-7629

Inside Diameter:			
0.280 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response			
Outside Diameter:			
0.475 inches			
Minimum Inside Bending Radius:			
0.500 inches			
Exterior Color:			
Green			
Connection Style:			
Swivel nut flare 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Features Provided:			
Electrostatic discharge capability			
Burst Test Pressure:			
1000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer rubber impregnated braided polyamide cord			
Maximum Operating Pressure:			
250.0 pounds per square inch			
Thread Size:			
0.438 inches 1st end			
Seat Angle:			
37.0 degrees 2nd end			
Hydrostatic Test Pressure:			
375.0 pounds per square inch			
Flow Angle:			
90.0 degrees 2nd end			
Inside Surface Condition:			
Convoluted			
Measuring Method And Length:			

NSN 4720-01-203-7629

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Design	nator:
	0000	_00.9.	

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0