

View Online at <https://aerobasegroup.com/nsn/4720-01-205-5187>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

Between 0.292 inches and 0.332 inches

Temperature Rating:

-50.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

Between 0.485 inches and 0.525 inches

Minimum Inside Bending Radius:

5.500 inches

Connection Style:

Inverted flare 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

400.0 pounds per square inch

Layer Composition And Location:

2nd layer braided corrosion resistant steel wire and outer layer rubber impregnated braided corrosion resistant steel wire

Maximum Operating Pressure:

100.0 pounds per square inch

Thread Size:

0.5625 inches 1st end

Seat Angle:

90.0 degrees 2nd end

Hydrostatic Test Pressure:

200.0 pounds per square inch

Flow Angle:

45.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

39.500 inches working and 41.500 inches working

Seat Radius:

0.015 inches 1st end

Thread Series Designator:

Unjf 1st end

Specification Data:

53711-5187925 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0