Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-207-6362

Crees Castienal Change
Cross Sectional Shape: Round
Thread Direction:
Right-hand all ends
Inside Diameter:
0.188 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
0.312 inches
Minimum Inside Bending Radius:
2.000 inches
Connection Style:
Swivel nut flare all ends
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Body aluminum alloy all ends
Fitting Component And Surface Treatment:
Body plastic polystyrene all ends
Connection Type:
Threaded internal tube all ends
Burst Test Pressure:
12000.0 pounds per square inch
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:
0.375 inches all ends
Seat Angle:
33.0 degrees all ends
Hydrostatic Test Pressure:
3000.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
26.000 inches
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Unjf all ends
Shelf Life:
N/a

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0