NSN 4720-01-210-0353

Nonmetallic Hose Assembly - Page 1 of 2



Vie	ew Online at https://aerobasegroup.com/nsn/4720-01-210-0353
Cr	oss Sectional Shape:
Ro	und
Th	read Direction:
Rig	ght-hand 1st end
Ins	side Diameter:
1.0	000 inches
Те	mpurature Rating:
45	0.0 degrees fahrenheit single response
Οι	itside Diameter:
1.5	562 inches
Co	nnection Style:
Pla	ain optional end 1st end
En	d Connection Design:
Str	aight 2nd end
Co	nnection Type:
Th	readed internal pipe 1st end
Se	cond End Relationship With First End:
No	t identical
Βu	rst Test Pressure:
25	00.0 pounds per square inch
Fir	st End Swivel Action Capability:
No	t included
La	yer Composition And Location:
1s	layer braided steel wire err-100
Ma	ximum Operating Pressure:
25	0.0 pounds per square inch
Th	read Size:
1.0	000 inches 2nd end
Οι	tter Covering Environmental Protection:
Ab	rasion resistant and ozone resistant and steam resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

300.000 inches excluding end fittings

Second End Swivel Action Capability:

Not included

Special Features:

Stainless steel liner, 0.812 inch id; 0.010 inch thick

Thread Series Designator:

Npt 2nd end

Specification Data:

81349-mil-h-29210 government specification

NSN 4720-01-210-0353

Nonmetallic Hose Assembly - Page 2 of 2



N/a		
Unit Of Measure:		
Demilitarization:		
No		
Fiig:		
A542a0		

Shelf Life:

Mil-std (military Standard):

Mil-h-29210 spec.