NSN 4720-01-211-6718

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-211-6718

| Cross Sectional Shape: |
|---|
| Round |
| Inside Diameter: |
| 0.500 inches |
| Tempurature Rating: |
| -65.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.810 inches |
| Minimum Inside Bending Radius: |
| 4.000 inches |
| Exterior Color: |
| Black |
| Features Provided: |
| Perforated outer cover |
| Burst Test Pressure: |
| 14000.0 pounds per square inch single response |
| Layer Composition And Location: |
| Outer layer molded polyurethane err-100 |
| Maximum Operating Pressure: |
| 3500.0 pounds per square inch single response |
| Hydrostatic Test Pressure: |
| 7000.0 pounds per square inch single response |
| Inside Surface Condition: |
| Smooth |
| Material: |
| Plastic tube |
| Specification Data: |
| 81343-sae j517, 100r8 professional/industrial association standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A541z0 |
| |