Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-222-6028

Cross	Sectional	Shape:

Round

Thread Class:

3b 1st end

# Thread Direction:

Right-hand 1st end

## Inside Diameter:

0.750 inches

#### **Tempurature Rating:**

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

#### **Outside Diameter:**

1.125 inches

Minimum Inside Bending Radius:

#### 9.500 inches

Exterior Color:

Black

### **End Application:**

2320-01-123-1608

### **Connection Style:**

Swivel nut flare 1st end

### End Connection Design:

Straight 2nd end

#### **Connection Type:**

Threaded internal tube 1st end

### **Burst Test Pressure:**

9000.0 pounds per square inch

### Layer Composition And Location:

1st layer braided steel wire and 2nd layer braided steel wire and outer layer molded rubber, synthetic

### Maximum Operating Pressure:

3000.0 pounds per square inch

#### Thread Size:

1.062 inches 2nd end

#### Seat Angle:

37.0 degrees 2nd end

#### Hydrostatic Test Pressure:

4500.0 pounds per square inch

## Inside Surface Condition:

Smooth

## Measuring Method And Length:

30.500 inches

### Media For Which Designed:

Fuel/oil, hydrocarbon single response

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

**Thread Series Designator:** 

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0