## NSN 4720-01-226-8020

**Cross Sectional Shape:** 

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.391 inches

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-226-8020

Tempurature Rating:						
-67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response						
Outside Diameter:						
0.605 inches						
Minimum Inside Bending Radius:						
2.880 inches						
End Application:						
6920-01-129-5722						
Connection Style:						
Swivel nut flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Features Provided:						
Electrostatic discharge capability						
Burst Test Pressure:						
14000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
3000.0 pounds per square inch						
Thread Size:						
0.750 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Outer Covering Environmental Protection:						
Fuel resistant and oil resistant and solvent resistant						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
17.000 inches working						
Thread Series Designator:						
Unjf 1st end						

## NSN 4720-01-226-8020

Nonmetallic Hose Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0