## NSN 4720-01-227-1071

Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-227-1071

Cross Sectional Shape: Round Thread Direction: Right-hand 1st end Inside Diameter: 0.250 inches Outside Diameter: 0.484 inches Connection Style: Plain 1st end End Connection Design: Straight 1st end Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
Thread Direction: Right-hand 1st end Inside Diameter: 0.250 inches Outside Diameter: 0.484 inches Connection Style: Plain 1st end End Connection Design: Straight 1st end Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
Right-hand 1st end Inside Diameter: 0.250 inches Outside Diameter: 0.484 inches Connection Style: Plain 1st end End Connection Design: Straight 1st end Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
Inside Diameter:  0.250 inches  Outside Diameter:  0.484 inches  Connection Style:  Plain 1st end  End Connection Design:  Straight 1st end  Connection Type:  Threaded external pipe 1st end  Features Provided:  Reusable end fittings  Layer Composition And Location:
Outside Diameter:  0.484 inches  Connection Style: Plain 1st end  End Connection Design: Straight 1st end  Connection Type: Threaded external pipe 1st end  Features Provided: Reusable end fittings  Layer Composition And Location:
Outside Diameter:  0.484 inches  Connection Style: Plain 1st end  End Connection Design: Straight 1st end  Connection Type: Threaded external pipe 1st end  Features Provided: Reusable end fittings  Layer Composition And Location:
O.484 inches  Connection Style:  Plain 1st end  End Connection Design:  Straight 1st end  Connection Type:  Threaded external pipe 1st end  Features Provided:  Reusable end fittings  Layer Composition And Location:
Connection Style: Plain 1st end End Connection Design: Straight 1st end Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
Plain 1st end  End Connection Design: Straight 1st end Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
End Connection Design: Straight 1st end Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
Straight 1st end  Connection Type:  Threaded external pipe 1st end  Features Provided:  Reusable end fittings  Layer Composition And Location:
Connection Type: Threaded external pipe 1st end Features Provided: Reusable end fittings Layer Composition And Location:
Threaded external pipe 1st end  Features Provided:  Reusable end fittings  Layer Composition And Location:
Features Provided: Reusable end fittings Layer Composition And Location:
Reusable end fittings  Layer Composition And Location:
Layer Composition And Location:
1st lever braided rayon card and cutor lever rubbar imprograted braided rayon card
1st layer braided rayon cord and outer layer rubber impregnated braided rayon cord
Maximum Operating Pressure:
75.0 pounds per square inch
Thread Size:
0.250 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
25.0 feet excluding end fittings
Special Features:
ld tag p/n 2416388-1 attached to hose
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No.
Fiig:
A542a0