NSN 4720-01-228-5573

Cross Sectional Shape:

27.000 inches working

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-228-5573

Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.625 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response				
Outside Diameter:				
0.789 inches				
Minimum Inside Bending Radius:				
6.500 inches				
Connection Style:				
Swivel nut, flareless 2nd end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded internal tube 1st end				
Thready Qty Per Inch (tpi):				
12 2nd end				
Burst Test Pressure:				
5000.0 pounds per square inch				
Layer Composition And Location:				
Outer layer braided steel wire				
Maximum Operating Pressure:				
1000.0 pounds per square inch				
Thread Size:				
1.062 inches 2nd end				
Seat Angle:				
12.0 degrees 2nd end				
Hydrostatic Test Pressure:				
2000.0 pounds per square inch				
Flow Angle:				
90.0 degrees 2nd end				
Vacuum In Torr:				
50.8				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				

NSN 4720-01-228-5573

Nonmetallic Hose Assembly - Page 2 of 2



		•		
Ιh	read	Series	Desiar	າator:

Un 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0