NSN 4720-01-228-5582

Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-228-5582

Round						
Thread Class:						
3b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.500 inches						
Tempurature Rating:						
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response						
Outside Diameter:						
0.656 inches						
Minimum Inside Bending Radius:						
5.500 inches						
Connection Style:						
Swivel nut, flareless 2nd end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Burst Test Pressure:						
7000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
1500.0 pounds per square inch						
Thread Size:						
0.875 inches 2nd end						
Seat Angle:						
12.0 degrees 2nd end						
Flow Angle:						
90.0 degrees 2nd end						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
26.000 inches working						
Thread Series Designator:						
Unf 2nd end						
Specification Data:						
96906-ms8001 government standard						
Shelf Life:						
N/a						

NSN 4720-01-228-5582

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0