Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-229-1548

Cross Sectional Shape:	
Round	
Thread Class:	
2a 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
1.500 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response	
Outside Diameter:	
2.080 inches	
Minimum Inside Bending Radius:	
10.000 inches	
Connection Style:	
Flared 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded external tube 1st end	
Thready Qty Per Inch (tpi):	
12 1st end	
Burst Test Pressure:	
600.0 pounds per square inch	
Layer Composition And Location:	
1st layer woven cotton with interwoven steel wire and outer layer molded rubber, s	ynthetic
Maximum Operating Pressure:	
150.0 pounds per square inch	
Thread Size:	
1.875 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Outer Covering Environmental Protection:	
Oil resistant and weatherproof	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
47.000 inches	
Media For Which Designed:	
Fuel/oil, hydrocarbon single response	
Thread Series Designator:	
Un 1st end	

NSN 4720-01-229-1548

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0

