NSN 4720-01-230-4951

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-230-4951 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.735 inches **Outside Diameter:** Between 0.910 inches and 0.950 inches **Minimum Inside Bending Radius:** 9.000 inches **Connection Style:** Swivel nut, flareless 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 12 1st end **Burst Test Pressure:** 500.0 pounds per square inch **Layer Composition And Location:** 1st layer molded polytetrafluoroethylene and 2nd layer braided fabric **Maximum Operating Pressure:** 125.0 pounds per square inch **Thread Size:** 1.0625 inches 1st end Seat Angle: 12.0 degrees 1st end **Hydrostatic Test Pressure:** 250.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 36.625 inches excluding end fittings and 37.375 inches excluding end fittings **Thread Series Designator:** Unj 1st end Shelf Life: N/a

--

Unit Of Measure:

NSN 4720-01-230-4951

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A542a0