## NSN 4720-01-235-8597

**Cross Sectional Shape:** 

**Thread Series Designator:** 

Un 1st end

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-235-8597

Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.875 inches
Tempurature Rating:
-100.0 degrees fahrenheit 2nd response and 450.0 degrees fahrenheit 2nd response
Outside Diameter:
1.031 inches
Minimum Inside Bending Radius:
9.000 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 2nd end
End Fitting Component And Material:
Flange steel 2nd end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
3500.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
800.0 pounds per square inch
Thread Size:
1.000 inches 2nd end
Seat Angle:
37.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
87.000 inches
Extra Long Reference Number:
K9190106-16-16-16c-87w/55sg-16-84

## NSN 4720-01-235-8597

Nonmetallic Hose Assembly - Page 2 of 2



Reference	Number	Differentiating	Characteris	tics:
1/616161166	NULLIDEL	Dillelelluatilla	Cilalacteris	เเบอ.

As differentiated by extra long part number

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0