## NSN 4720-01-244-9515



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-244-9515 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response **Outside Diameter:** 0.550 inches **Minimum Inside Bending Radius:** 1.000 inches Angle Between Rigid Elbow Fittings In Deg: 90.0 **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Elbow 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 350.0 pounds per square inch **Maximum Operating Pressure:** 100.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 200.0 pounds per square inch Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition:** Convoluted **Measuring Method And Length:** 5.875 inches **Thread Series Designator:** 

Shelf Life:

N/a

Unf 2nd end

## NSN 4720-01-244-9515

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0