NSN 4720-01-251-5267

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-251-5267

Cross Sectional Shape:				
Round				
Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.610 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response				
Outside Diameter:				
0.910 inches				
Minimum Inside Bending Radius:				
3.000 inches				
Exterior Color:				
Blue				
Connection Style:				
Swivel nut flare 2nd end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded internal tube 1st end				
Burst Test Pressure:				
1000.0 pounds per square inch				
Layer Composition And Location:				
Outer layer braided corrosion resistant steel wire				
Maximum Operating Pressure:				
250.0 pounds per square inch				
Thread Size:				
0.875 inches 1st end				
Seat Angle:				
37.0 degrees 2nd end				
Hydrostatic Test Pressure:				
500.0 pounds per square inch				
Flow Angle:				
45.0 degrees 2nd end				
Vacuum In Torr:				
50.8				
Inside Surface Condition:				
Convoluted				
Measuring Method And Length:				

24.000 inches

NSN 4720-01-251-5267

Nonmetallic Hose Assembly - Page 2 of 2



_	brood	Carias	Docionatori
ı	meau	oenes	Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0