

View Online at <https://aerobasegroup.com/nsn/4720-01-255-1939>

**Temperature Rating:**

35.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response

**Flange Thickness:**

0.115 inches 2nd end and 0.135 inches 2nd end

**Minimum Inside Bending Radius:**

7.000 inches

**Exterior Color:**

Green

**Center To Center Distance Between Bolt Holes Along Width:**

1.485 inches 2nd end and 1.515 inches 2nd end

**Center To Center Distance Between Bolt Holes Along Length:**

1.485 inches 2nd end and 1.515 inches 2nd end

**Bolt Hole Quantity:**

4 1st end

**Flange Length:**

1.900 inches 2nd end

**Flange Width:**

1.900 inches 2nd end

**Bolt Hole Diameter:**

0.218 inches 2nd end and 0.224 inches 2nd end

**End Flange Construction:**

Solid 2nd end

**End Connection Design:**

Straight 1st end

**Connection Type:**

Plain face flange 2nd end

**Burst Test Pressure:**

800.0 pounds per square inch

**Maximum Operating Pressure:**

200.0 pounds per square inch

**Hydrostatic Test Pressure:**

400.0 pounds per square inch

**Measuring Method And Length:**

43.500 inches and 44.500 inches

**Flange Style:**

Rectangular (includes square) 2nd end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A542a0