## NSN 4720-01-260-9173

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-260-9173

Cross Sectional Shape:				
Round				
Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.375 inches				
Tempurature Rating:				
-67.0 degrees fahrenheit and 160.0 degrees fahrenheit single response				
Outside Diameter:				
0.625 inches				
Minimum Inside Bending Radius:				
4.000 inches				
Connection Style:				
Swivel nut flare 1st end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded internal tube 1st end				
Burst Test Pressure:				
1000.0 pounds per square inch				
Layer Composition And Location:				
1st layer braided textile yarn and outer layer molded rubber, synthetic				
Maximum Operating Pressure:				
150.0 pounds per square inch				
Thread Size:				
0.562 inches 1st end				
Seat Angle:				
37.0 degrees 1st end				
Hydrostatic Test Pressure:				
300.0 pounds per square inch				
Outer Covering Environmental Protection:				
Abrasion resistant and weatherproof and fuel resistant and oil resistant and water resistant				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				
18.000 inches working				
Media For Which Designed:				
Air single response				
Thread Series Designator:				
Unjf 1st end				

## NSN 4720-01-260-9173

Nonmetallic Hose Assembly - Page 2 of 2



Spec	ifica	ation	Data:
------	-------	-------	-------

88044-an6270 government standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0