## NSN 4720-01-267-0365

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-267-0365

Round Inside Diameter: 3.000 inches Tempurature Rating: 32.0 degrees celsius single response and 52.0 degrees celsius single response Outside Diameter: 3.750 inches End Application: Tank, abrhams m-1 Burst Test Pressure: 30.0 pounds per square inch single response Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Hydrostatic Test Pressure: 200.1 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Specifia Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Sheff Life: N/a Unit of Measure:	Cross Sectional Shape:
Tempurature Rating:  32.0 degrees celsius single response and 52.0 degrees celsius single response  Outside Diameter:  3.750 inches  End Application:  Tank, abrhams m-1  Burst Test Pressure:  300.0 pounds per square inch single response  Layer Composition And Location:  1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure:  100.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification:  Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Sheff Life:  N/a  Unit Of Measure:  ———————————————————————————————————	
Tempurature Rating:  32.0 degrees celsius single response and 52.0 degrees celsius single response  Outside Diameter:  3.750 inches  End Application:  Tank, abrhams m-1  Burst Test Pressure:  300.0 pounds per square inch single response  Layer Composition And Location:  1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure:  100.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Hydrostatic Test Prossure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification:  Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  \$13.49-mil-h-370 government specification  Sheff Life:  N/a  Unit Of Measure:  ———————————————————————————————————	Inside Diameter:
Tempurature Rating: -32.0 degrees celsius single response and 52.0 degrees celsius single response Outside Diameter: -3.750 inches End Application: Tank, abrhams m-1 Burst Test Pressure: 30.0 upounds per square inch single response Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Sheft Life: Na Unit Of Measure:	
-32.0 degrees celsius single response and 52.0 degrees celsius single response  Outside Diameter: 3.750 inches  End Application: Tank, abrhams m-1 Burst Test Pressure: 300.0 pounds per square inch single response Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-milh-370 government specification Shelf Life: Na Unit Of Measure:	
Outside Diameter: 3.750 inches End Application: Tank, abrhams m-1 Burst Test Pressure: 300.0 pounds per square inch single response Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mil Flig:	
End Application: Tank, abrhams m-1  Burst Test Pressure: 300.0 pounds per square inch single response Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mil Fiig:	
Tank, abrhams m-1  Burst Test Pressure: 300.0 pounds per square inch single response  Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Ilisside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mil Fiig:	3.750 inches
Tank, abrhams m-1  Burst Test Pressure: 300.0 pounds per square inch single response  Layer Composition And Location: 1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure: 100.0 pounds per square inch single response Hydrostatic Test Pressure: 200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Ilisside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mil Fiig:	End Application:
Solution of the second state of the state of the second se	
Layer Composition And Location:  1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure:  100.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification:  Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:  — Demilitarization:  Yes - demil/mli  Flig:	Burst Test Pressure:
1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure:  100.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification:  Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:  — Demilitarization:  Yes - demil/mli  Flig:	300.0 pounds per square inch single response
1st layer rubber impregnated braided cotton cord or 2nd layer rubber impregnated braided cotton cord or outer layer molded rubber, synthetic  Maximum Operating Pressure:  100.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification:  Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:  — Demilitarization:  Yes - demil/mli  Flig:	
synthetic  Maximum Operating Pressure:  100.0 pounds per square inch single response  Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification: Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:  — Demilitarization:  Yes - demil/mli  Fiig:	
100.0 pounds per square inch single response  Hydrostatic Test Pressure: 200.0 pounds per square inch single response  Outer Covering Environmental Protection: Oil resistant and ozone resistant  Criticality Code Justification: Feat Inside Surface Condition: Smooth  Measuring Method And Length: 120.000 inches  Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data: 81349-mil-h-370 government specification  Shelf Life: N/a  Unit Of Measure: Demilitarization: Yes - demil/mli  Fiig:	
Hydrostatic Test Pressure:  200.0 pounds per square inch single response  Outer Covering Environmental Protection:  Oil resistant and ozone resistant  Criticality Code Justification:  Feat  Inside Surface Condition:  Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:  —  Demilitarization:  Yes - demil/mli  Fiig:	Maximum Operating Pressure:
200.0 pounds per square inch single response Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fitig:	100.0 pounds per square inch single response
Outer Covering Environmental Protection: Oil resistant and ozone resistant Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fitig:	Hydrostatic Test Pressure:
Oil resistant and ozone resistant  Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fitig:	200.0 pounds per square inch single response
Criticality Code Justification: Feat Inside Surface Condition: Smooth Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fig:	Outer Covering Environmental Protection:
Inside Surface Condition: Smooth  Measuring Method And Length: 120.000 inches  Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data: 81349-mil-h-370 government specification  Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli  Fitig:	Oil resistant and ozone resistant
Inside Surface Condition:  Smooth  Measuring Method And Length: 120.000 inches  Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data: 81349-mil-h-370 government specification  Shelf Life: N/a  Unit Of Measure:  Demilitarization: Yes - demil/mli  Fiig:	Criticality Code Justification:
Smooth  Measuring Method And Length:  120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  Yes - demil/mli  Fiig:	Feat
Measuring Method And Length: 120.000 inches Special Features: Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig:	Inside Surface Condition:
120.000 inches  Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  Yes - demil/mli  Fiig:	Smooth
Special Features:  Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  Yes - demil/mli  Fiig:	Measuring Method And Length:
Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant  Specification Data:  81349-mil-h-370 government specification  Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli  Fiig:	120.000 inches
Specification Data: 81349-mil-h-370 government specification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig:	Special Features:
81349-mil-h-370 government specification  Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli  Fiig:	Weapon system essential; inner conveying tube material: butadiene acrylonitrile rubber; fuel resistant
Shelf Life:  N/a  Unit Of Measure:  Demilitarization: Yes - demil/mli  Fiig:	Specification Data:
N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig:	81349-mil-h-370 government specification
Unit Of Measure: Demilitarization: Yes - demil/mli Fiig:	Shelf Life:
 Demilitarization: Yes - demil/mli Fiig:	N/a
Yes - demil/mli Fiig:	Unit Of Measure:
Yes - demil/mli Fiig:	
Fiig:	Demilitarization:
	Yes - demil/mli
A541z0	Fiig:
	A541z0