Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-269-8389

Cross Sectional Shape:	
Round	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
98.0 degrees fahrenheit single response and 102.0 degrees fahrenheit single response	
Exterior Color:	
Black	
End Application:	
2330-00-912-4251 dolly set, lift, transportable shelter, 3 ton m720	
Connection Style:	
Swivel, plain 2nd end	
End Connection Design:	
Straight 2nd end	
Connection Type:	
Threaded external tube 2nd end	
Features Provided:	
Internal support	
Burst Test Pressure:	
4500.0 pounds per square inch	
Thread Size:	
0.250 inches 2nd end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
10.250 inches and 10.750 inches	
Special Features:	
Protective plating 0.0002 in thk on fittings	
Special Markings:	
Mfr code and oz in cap Itrs	
Special Test Features:	
3000 psi for 2 min hold hydraulicpressure	
Test Data Document:	
19207-11682089 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacture	r drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)	
Thread Series Designator:	
Npt 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 4720-01-269-8389

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

