NSN 4720-01-275-4190

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-275-4190

Cross Sectional Shape:
Round
Inside Diameter:
0.844 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response
Outside Diameter:
1.175 inches
Minimum Inside Bending Radius:
5.500 inches
Connection Style:
Raised swivel 1st end
End Flange Construction:
Solid 1st end
End Connection Design:
Elbow 1st end
Connection Type:
Raised face flange 1st end
Features Provided:
Reusable end fittings
Burst Test Pressure:
5000.0 pounds per square inch
Layer Composition And Location:
1st layer braided corrosion resistant steel wire, partial coverage and outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1000.0 pounds per square inch
Hydrostatic Test Pressure:
2500.0 pounds per square inch
Flow Angle:
45.0 degrees 1st end
Outer Covering Environmental Protection:
Solvent resistant and alcohol resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
24.000 inches
Flange Style:
Rectangular (includes square) 1st end
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4720-01-275-4190

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0