NSN 4720-01-275-5223

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches

Tempurature Rating:

Outside Diameter:

70.0 degrees fahrenheit single response

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-275-5223

0.562 inches
Minimum Inside Bending Radius:
0.875 inches
Inner Conveying Tube Style:
Annular open-pitch corrugated
End Application:
1190-00-243-9510
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Identical ends
Burst Test Pressure:
10650.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
2660.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
4000.0 pounds per square inch
Measuring Method And Length:
30.000 inches working
Thread Series Designator:
Unf 1st end

NSN 4720-01-275-5223

Metallic Hose Assembly - Page 2 of 2



\sim				
•	no	11	ife	•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0