NSN 4720-01-277-3424

Nonmetallic Hose - Page 1 of 1

AeroBase Group

| View Online at https://aerobasegroup.com/nsn/4720-01-277-3424 |
|---|
| Cross Sectional Shape: |
| Round |
| Inside Diameter: |
| 0.500 inches |
| Tempurature Rating: |
| -40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.812 inches |
| Minimum Inside Bending Radius: |
| 7.000 inches |
| Burst Test Pressure: |
| 8000.0 pounds per square inch single response |
| Layer Composition And Location: |
| Outer layer molded rubber, synthetic err-100 |
| Maximum Operating Pressure: |
| 2000.0 pounds per square inch single response |
| Hydrostatic Test Pressure: |
| 4000.0 pounds per square inch single response |
| Outer Covering Environmental Protection: |
| Abrasion resistant and oil resistant and ozone resistant and weatherproof |
| Inside Surface Condition: |
| Smooth |
| Material: |
| Rubber synthetic tube |
| Media For Which Designed: |
| Hydraulic fluid single response |
| Specification Data: |
| 81343-j517, 100r1 professional/industrial association standard |
| Specification Or Standard: |
| At type |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A541z0 |
| |