Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-277-5662

Round

**Thread Class:** 

2b 1st end

# Thread Direction:

Right-hand 1st end

# Inside Diameter:

1.000 inches

#### **Tempurature Rating:**

-67.0 degrees fahrenheit and 158.0 degrees fahrenheit single response

#### **Outside Diameter:**

1.090 inches

Minimum Inside Bending Radius:

#### 9.500 inches

Exterior Color:

Black

## **End Application:**

2350-01-110-4660

### **Connection Style:**

Swivel nut, flareless 1st end

## End Connection Design:

Straight 1st end

## Connection Type:

Threaded internal tube 1st end

## Thready Qty Per Inch (tpi):

12 1st end

## **Burst Test Pressure:**

4500.0 pounds per square inch

## Layer Composition And Location:

1st layer braided corrosion resistant steel wire and outer layer molded rubber

## Maximum Operating Pressure:

1125.0 pounds per square inch

#### **Thread Size:**

1.312 inches 1st end

#### Seat Angle:

37.0 degrees 1st end

## **Outer Covering Environmental Protection:**

Abrasion resistant and oil resistant and weatherproof

# Inside Surface Condition:

Smooth

#### Measuring Method And Length:

46.000 inches working

Nonmetallic Hose Assembly - Page 2 of 2



**Special Features:** 

Fittings both permanently attached

# Media For Which Designed:

Air and fuel/oil, hydrocarbon and water single response

# **Thread Series Designator:**

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

#### Fiig:

A542a0