NSN 4720-01-281-2433

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-281-2433

Cross Sectional Shape:				
Round				
Thread Class:				
3a 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
1.250 inches				
Tempurature Rating:				
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response				
Outside Diameter:				
2.000 inches				
Minimum Inside Bending Radius:				
16.500 inches				
Connection Style:				
External seat for gasket seal (boss) 1st end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded external boss 1st end				
Features Provided:				
Reusable end fittings				
Thready Qty Per Inch (tpi):				
12 1st end				
Burst Test Pressure:				
6500.0 pounds per square inch				
Layer Composition And Location:				
1st layer braided wire and 2nd layer braided wire and outer layer molded rubber, synthetic				
Maximum Operating Pressure:				
1625.0 pounds per square inch				
Thread Size:				
2.312 inches 1st end				
Hydrostatic Test Pressure:				
3250.0 pounds per square inch				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				
18.000 inches				
Media For Which Designed:				
Fuel/oil, hydrocarbon single response				
Thread Series Designator:				

Un 1st end

NSN 4720-01-281-2433

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0