NSN 4720-01-287-7812

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-287-7812

Right-hand 1st end			
Inside Diameter:			
0.890 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response			
Outside Diameter:			
1.000 inches			
Minimum Inside Bending Radius:			
9.620 inches			
Connection Style:			
Swivel nut, flareless 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
12000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
3000.0 pounds per square inch			
Thread Size:			
1.312 inches 2nd end			
Seat Angle:			
12.0 degrees 2nd end			
Hydrostatic Test Pressure:			
6000.0 pounds per square inch			
Flow Angle:			
45.0 degrees 2nd end			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			
23.000 inches working			
Thread Series Designator:			
Unjf 1st end			
Specification Data:			
81343-as622 professional/industrial association standard			

NSN 4720-01-287-7812

Nonmetallic Hose Assembly - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0