NSN 4720-01-288-9664



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-288-9664 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.750 inches **Minimum Inside Bending Radius:** 1.750 inches **End Application:** 2330-01-275-7474 hemat trailer **Connection Style:** Swivel, plain 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external pipe 2nd end **Burst Test Pressure:** 900.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fiber and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 125.0 pounds per square inch **Thread Size:** 0.375 inches 1st end Seat Angle: 30.0 degrees 1st end **Hydrostatic Test Pressure:** 250.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 54.000 inches **Thread Series Designator:** Nptf 2nd end Shelf Life: N/a

Unit Of Measure:

NSN 4720-01-288-9664

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0