NSN 4720-01-292-9323

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-292-9323 **Cross Sectional Shape:** Round **Inside Diameter:** Between 0.359 inches and 0.391 inches **Outside Diameter:** Between 0.594 inches and 0.656 inches **Minimum Inside Bending Radius:** 2.250 inches **Exterior Color:** Black **End Application:** Decontaminating apparatus a/e **Connection Style:** Barbed or serrated end 2nd end **Connection Type:** Unthreaded external hose 2nd end **Burst Test Pressure:** 1250.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fabric or 1st layer woven fabric **Maximum Operating Pressure:** 300.0 pounds per square inch **Outer Covering Environmental Protection:** Ozone resistant and mildew resistant and fuel resistant and vibration resistant and oil resistant **Criticality Code Justification:** Feat **Inside Surface Condition:** Smooth **Measuring Method And Length:** 14.880 inches excluding end fittings **Inside Diameter Hose Accommodated:** 0.375 inches 2nd end **Special Features:** C/o hose, rubber, black, 0.375 id by 14.880 lg iaw mil-h-13444, type 1; and fitting, swivel, 3/8-bsp 60 degrees pn 5-45-5173-2; and 3/8-bsp male 60 degrees pn 5-45-5171-2; weapon system essential Media For Which Designed: Water single response Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 4720-01-292-9323

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0