Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-293-5098

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response	
Outside Diameter:	
0.590 inches	
Minimum Inside Bending Radius:	
4.000 inches	
Connection Style:	
Swivel, plain 2nd end	
End Connection Design:	
Straight 2nd end	
Connection Type:	
Fhreaded internal tube 1st end	
Features Provided:	
Nonskive and reusable end fittings	
Burst Test Pressure:	
0000.0 pounds per square inch	
ayer Composition And Location:	
Ist layer braided corrosion resistant steel wire and 2nd layer braided corrosion resistant steel wire and outer layer molded rubber, synthe	tic
Maximum Operating Pressure:	
5000.0 pounds per square inch	
Thread Size:	
0.500 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Outer Covering Environmental Protection:	
Abrasion resistant and oil resistant and weatherproof	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
26.000 inches	
Media For Which Designed:	
Air and gas single response	
Thread Series Designator:	

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0

