NSN 4720-01-296-6884

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-296-6884	
Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.235 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit single response and 1000.0 degrees fahrenheit single response	
Outside Diameter:	
0.439 inches	
Minimum Inside Bending Radius:	
6.250 inches	
Inner Conveying Tube Style:	
Annular close-pitch corrugated	
Angle Between Rigid Elbow Fittings In Deg:	
90.0	
Connection Style:	
Swivel nut flare 2nd end	
End Connection Design:	
Elbow 2nd end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
480.0 pounds per square inch	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire	
Maximum Operating Pressure:	
120.0 pounds per square inch	
Thread Size:	
0.438 inches 1st end	
Cost Applica	

Seat Angle:

37.0 degrees 2nd end

Hydrostatic Test Pressure:

240.0 pounds per square inch

Flow Angle:

45.0 degrees 2nd end

Measuring Method And Length:

19.000 inches

Thread Series Designator:

Unf 2nd end

NSN 4720-01-296-6884

Metallic Hose Assembly - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0