

View Online at <https://aerobasegroup.com/nsn/4720-01-296-6885>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.235 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 1000.0 degrees fahrenheit single response

Outside Diameter:

0.439 inches

Minimum Inside Bending Radius:

6.250 inches

Inner Conveying Tube Style:

Annular close-pitch corrugated

Angle Between Rigid Elbow Fittings In Deg:

325.0

Connection Style:

Swivel nut flare 2nd end

End Connection Design:

Elbow 2nd end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

480.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

120.0 pounds per square inch

Thread Size:

0.438 inches 1st end

Seat Angle:

37.0 degrees 2nd end

Hydrostatic Test Pressure:

240.0 pounds per square inch

Flow Angle:

45.0 degrees 2nd end

Measuring Method And Length:

19.000 inches

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0