## NSN 4720-01-298-8614

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-298-8614 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 9.5 millimeters **Tempurature Rating:** -59.0 degrees fahrenheit and 212.0 degrees fahrenheit single response **Outside Diameter:** 17.5 millimeters **Minimum Inside Bending Radius:** 60.0 millimeters **Connection Style:** Nut assembly with gasket 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal hose 1st end **Burst Test Pressure:** 11880.0 pounds per square inch **Layer Composition And Location:** 1st layer rubber impregnated polyamide fabric and 2nd layer braided fiber and outer layer molded polyurethane **Maximum Operating Pressure:** 2990.0 pounds per square inch **Thread Size:** 9.5 millimeters 1st end **Hydrostatic Test Pressure:** 5980.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 470.0 millimeters **Thread Series Designator:** Bsp.Tr int 1st end Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 4720-01-298-8614

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0