NSN 4720-01-298-8616



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-298-8616 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -59.0 degrees fahrenheit and 212.0 degrees fahrenheit single response **Outside Diameter:** 0.685 inches **Minimum Inside Bending Radius:** 2.360 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 11960.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fiber and outer layer molded polyurethane **Maximum Operating Pressure:** 2990.0 pounds per square inch **Thread Size:** 0.375 inches 1st end Seat Angle: 30.0 degrees 1st end **Hydrostatic Test Pressure:** 5980.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 49.250 inches **Thread Series Designator:** Unf 1st end Shelf Life: N/a

Unit Of Measure:

NSN 4720-01-298-8616

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0