NSN 4720-01-298-8622



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-298-8622 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.750 inches **Minimum Inside Bending Radius:** 1.750 inches **End Application:** Snowplow w/sander, oshkosh 1969 model wt2206 **Connection Style:** Swivel, plain 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external pipe 2nd end **Burst Test Pressure:** 900.0 pounds per square inch **Layer Composition And Location:** 1st layer braided textile yarn and 2nd layer braided textile yarn and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 225.0 pounds per square inch **Thread Size:** 0.250 inches 2nd end Seat Angle: 30.0 degrees 1st end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 24.000 inches Media For Which Designed: Air single response **Thread Series Designator:** Nptf 2nd end Shelf Life:

Unit Of Measure:

N/a

NSN 4720-01-298-8622

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0