Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-310-2306

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.340 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 230.0 degrees fahrenheit single response
Outside Diameter:
0.785 inches
Minimum Inside Bending Radius:
3.500 inches
End Application:
Aircraft b-1b rockwell international corp
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
475.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
190.0 pounds per square inch
Thread Size:
0.750 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
285.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
24.500 inches working
Special Features:
Self-locking nut must meet rockwell international corporation p/n le273-0016-0008 requirements
Thread Series Designator:
Unjf 1st end



Reference Number Differentiating Characteristics:

As differentiated by pac feat information

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0