NSN 4720-01-311-0980

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end Inside Diameter: 0.256 inches

Tempurature Rating:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-311-0980

-65.0 degrees fahrenheit single response and 230.0 degrees fahrenheit single response			
Outside Diameter:			
0.570 inches			
Minimum Inside Bending Radius:			
2.000 inches			
End Application:			
Aircraft b-1b rockwell international corp			
Connection Style:			
Swivel nut flare 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
475.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
190.0 pounds per square inch			
Thread Size:			
0.563 inches 2nd end			
Seat Angle:			
37.0 degrees 2nd end			
Hydrostatic Test Pressure:			
285.0 pounds per square inch			
Flow Angle:			
75.0 degrees 2nd end			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			
10.500 inches working			
Special Features:			
Self-locking nut must meet rockwell international corporation p/n le273-0016-0006 requirements			

NSN 4720-01-311-0980

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Design	nator:
	0000	_00.9.	

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0