NSN 4720-01-311-0987

11.750 inches working

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-311-0987

Cross Sectional Snape:			
Round			
Thread Class:			
3b 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.188 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response			
Outside Diameter:			
0.312 inches			
Minimum Inside Bending Radius:			
2.000 inches			
Connection Style:			
Swivel nut, inverted flare 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Thready Qty Per Inch (tpi):			
24 2nd end			
Burst Test Pressure:			
5000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
1250.0 pounds per square inch			
Thread Size:			
0.438 inches 1st end			
Seat Angle:			
8.5 degrees 2nd end			
Hydrostatic Test Pressure:			
2500.0 pounds per square inch			
Flow Angle:			
90.0 degrees 2nd end			
Outer Covering Environmental Protection:			
Fuel resistant and oil resistant and alcohol resistant and solvent resistant and acid resistant and oxidation resistant			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			

NSN 4720-01-311-0987

Nonmetallic Hose Assembly - Page 2 of 2



_	brood	Carias	Docionatori
ı	meau	Series	Designator:

Unjs 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0