## NSN 4720-01-317-3120

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-317-3120

Cross Sectional Shape:
Round
Inside Diameter:
0.204 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response
Outside Diameter:
0.755 inches
Minimum Inside Bending Radius:
2.000 inches
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Elbow 2nd end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Reusable end fittings
Burst Test Pressure:
6000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1000.0 pounds per square inch
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
3000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Outer Covering Environmental Protection:
Alcohol resistant and fuel resistant and heat resistant and oil resistant and solvent resistant
Inside Surface Condition:
Convoluted
Measuring Method And Length:
34.875 inches working
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 4720-01-317-3120

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0