Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-320-8873

-	
	oss Sectional Shape:
	und
	read Class:
	1st end
	read Direction:
	ht-hand 1st end
	ide Diameter:
	80 inches
	npurature Rating:
	0 degrees fahrenheit and 200.0 degrees fahrenheit single response
	tside Diameter:
-	50 inches
	nimum Inside Bending Radius:
-	000 inches
	d Application:
-	ytheon model g167736
	nnection Style:
•	ivel nut flare 1st end
	d Connection Design:
	aight 1st end
	nnection Type:
	readed internal tube 1st end
	rst Test Pressure:
	0.0 pounds per square inch
-	ver Composition And Location:
	layer braided cotton cord and outer layer molded rubber
	ximum Operating Pressure:
	0.0 pounds per square inch
	read Size:
	62 inches 1st end
	at Angle:
	0 degrees 1st end
-	drostatic Test Pressure:
	0.0 pounds per square inch
	ide Surface Condition:
	ooth
	asuring Method And Length:
	000 inches working
	read Series Designator:
-	if 1st end
	elf Life:
N/a	

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0