Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-327-7674

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.312 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response	9
Outside Diameter:	
Between 0.535 inches and 0.595 inches	
Minimum Inside Bending Radius:	
5.000 inches	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
End Fitting Component And Material:	
Complete fitting stainless steel all ends	
Connection Type:	
Threaded internal tube 1st end	
Second End Relationship With First End:	
Identical	
Burst Test Pressure:	
10500.0 pounds per square inch	
First End Swivel Action Capability:	
Not included	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire err-100	
Maximum Operating Pressure:	
3000.0 pounds per square inch	
Thread Size:	
0.562 inches 1st end	
Seat Angle:	
12.0 degrees 1st end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
30.500 inches working	
Special Features:	
Inner conveying tube material-plastic, tetrafluoroethylene	

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0