Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-328-1384

Cro	oss Sectional Shape:
Ro	und
Th	read Class:
3b	1st end
Th	read Direction:
Rig	ht-hand 1st end
Ins	ide Diameter:
0.4	06 inches
Tei	mpurature Rating:
-65	0.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response
Ou	tside Diameter:
0.5	00 inches
Mir	nimum Inside Bending Radius:
2.8	80 inches
Co	nnection Style:
Sw	ivel nut, flareless 1st end
En	d Connection Design:
Str	aight 1st end
Co	nnection Type:
Th	readed internal tube 1st end
Bu	rst Test Pressure:
105	500.0 pounds per square inch
Lay	ver Composition And Location:
Ou	ter layer braided corrosion resistant steel wire
Ма	ximum Operating Pressure:
300	00.0 pounds per square inch
Th	read Size:
0.7	50 inches 1st end
Sea	at Angle:
12.	0 degrees 1st end
Hy	drostatic Test Pressure:
600	00.0 pounds per square inch
Ins	ide Surface Condition:
Sm	nooth
Me	asuring Method And Length:
26.	750 inches
Th	read Series Designator:
Un	f 1st end
Sh	elf Life:
N/a	à
Un	it Of Measure:

---

## NSN 4720-01-328-1384

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

