

View Online at <https://aerobasegroup.com/nsn/4720-01-330-0597>

Cross Sectional Shape:

Round

Inside Diameter:

0.998 inches

Temperature Rating:

-65.0 degrees fahrenheit and 400.0 degrees fahrenheit single response

Flange Thickness:

0.312 inches 1st end

Outside Diameter:

1.300 inches

Minimum Inside Bending Radius:

3.000 inches

Bolt Hole Quantity:

4 1st end

Flange Outside Diameter:

2.880 inches 1st end

End Application:

General motors corp, allison gas turbine div., generator set, 501k

Connection Style:

Raised 1st end

Bolt Hole Diameter:

0.312 inches 1st end

Raised Face Height:

0.010 inches 1st end

Raised Face Diameter:

2.000 inches 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Straight 1st end

Connection Type:

Raised face flange 1st end

Features Provided:

Electrostatic discharge capability

Burst Test Pressure:

600.0 pounds per square inch

Layer Composition And Location:

1st layer spirally wrapped polytetrafluoroethylene impregnated glass fiber and outer layer braided steel wire

Maximum Operating Pressure:

150.0 pounds per square inch

Hydrostatic Test Pressure:

300.0 pounds per square inch

Inside Surface Condition:

Convoluted

Measuring Method And Length:

16.000 inches

Flange Style:

Round w/ bolt holes 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0