## NSN 4720-01-332-7662

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-332-7662

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.250 inches
Outside Diameter:
1.875 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting copper alloy all ends
Connection Type:
Threaded internal tube 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
500.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
1st layer rubber impregnated braided cotton cord err-100
Maximum Operating Pressure:
150.0 pounds per square inch
Thread Size:
1.250 inches 1st end
Seat Angle:
37.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
300.000 inches
Thread Series Designator:
Npsh 1st end
Specification Data:
81349-mil-h-370 government specification
Specification Or Standard:
2 type and 3 class
Shelf Life:
N/a

N/a

## NSN 4720-01-332-7662

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0