NSN 4720-01-337-2037

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-337-2037 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 2.219 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 1.812 inches **Minimum Inside Bending Radius:** 13.250 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 12 1st end **Burst Test Pressure:** 700.0 pounds per square inch **Layer Composition And Location:** 1st layer braided cotton cord and 2nd layer braided corrosion resistant steel wire and outer layer braided cotton cord **Maximum Operating Pressure:** 350.0 pounds per square inch **Thread Size:** 2.500 inches 1st end Seat Angle: 37.0 degrees 1st end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 20.000 inches Media For Which Designed:

Un 1st end

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Shelf Life:

N/a

NSN 4720-01-337-2037

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0