NSN 4720-01-344-9130

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-344-9130

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.260 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 260.0 degrees fahrenheit single response
Outside Diameter:
0.390 inches
Minimum Inside Bending Radius:
2.000 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
2200.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
500.0 pounds per square inch
Thread Size:
0.500 inches 1st end
Seat Angle:
33.0 degrees 1st end
Hydrostatic Test Pressure:
1000.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
23.000 inches
Special Features:
Used for liquid oxygen
Thread Series Designator:
Unjf 1st end
Specification Data:
81349-mil-h-26626 government specification

NSN 4720-01-344-9130

Nonmetallic Hose Assembly - Page 2 of 2



Specification Or Standard:
5 size
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A542a0

Mil-std (military Standard):

Mil-prf-26626 spec.