Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-348-1497

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.391 inches	
Tempurature Rating:	
65.0 degrees fahrenheit and 400.	0 degrees fahrenheit single response
Outside Diameter:	
).710 inches	
Minimum Inside Bending Radius	:
5.750 inches	
Connection Style:	
Swivel nut, inverted flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Thready Qty Per Inch (tpi):	
20 1st end	
Burst Test Pressure:	
3000.0 pounds per square inch	
ayer Composition And Location	1:
st layer braided corrosion resistar	t steel wire and 2nd layer braided corrosion resistant steel wire and outer layer braided corrosion
esistant steel wire	
Maximum Operating Pressure:	
1000.0 pounds per square inch	
Thread Size:	
0.719 inches 1st end	
Seat Angle:	
8.5 degrees 1st end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
36.250 inches	
Thread Series Designator:	
Unj 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 4720-01-348-1497

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

