## NSN 4720-01-352-5973

**Cross Sectional Shape:** 

96906-ms8006 government standard

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-352-5973

Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.625 inches					
Tempurature Rating:					
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response					
Outside Diameter:					
1.220 inches					
Minimum Inside Bending Radius:					
6.500 inches					
Connection Style:					
Swivel nut, flareless 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Thready Qty Per Inch (tpi):					
12 1st end					
Burst Test Pressure:					
3500.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
1000.0 pounds per square inch					
Thread Size:					
1.062 inches 1st end					
Seat Angle:					
12.0 degrees 1st end					
Hydrostatic Test Pressure:					
2000.0 pounds per square inch					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
38.000 inches					
Thread Series Designator:					
Un 1st end					
Specification Data:					

## NSN 4720-01-352-5973

Nonmetallic Hose Assembly - Page 2 of 2



_			_	•	
Sr	necitio	∙ati∩n	Or	Star	ndard:

12 size

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0