Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-353-7459

	Sectional Shape:
Round	
	Class:
2b 1st e	
	Direction:
U	and 1st end
	Diameter:
0.750 ir	iches
-	rature Rating:
	egrees fahrenheit and 212.0 degrees fahrenheit single response
Outside	e Diameter:
1.160 ir	nches
Minimu	m Inside Bending Radius:
9.500 ir	nches
Exterio	r Color:
Black	
Connec	ction Style:
Swivel ı	nut flare 1st end
End Co	nnection Design:
Straight	1st end
Connec	ction Type:
Threade	ed internal tube 1st end
Thread	y Qty Per Inch (tpi):
12 1st e	and
Burst T	est Pressure:
12400.0) pounds per square inch
Layer C	Composition And Location:
1st laye	r braided steel wire and 2nd layer braided steel wire
Maximu	um Operating Pressure:
3100.0	pounds per square inch
Thread	Size:
1.062 ir	nches 1st end
Seat Ar	ngle:
37.0 de	grees 1st end
nside \$	Surface Condition:
Smooth	
Measur	ing Method And Length:
48.000	inches
Media I	For Which Designed:
Fuel/oil	hydrocarbon single response
Thread	Series Designator:
Un 1st e	-

NSN 4720-01-353-7459

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0

