## NSN 4720-01-356-6809

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-356-6809

Cross Sectional Shape:			
Round			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.375 inches			
Tempurature Rating:			
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response			
Outside Diameter:			
0.680 inches			
Minimum Inside Bending Radius:			
3.500 inches			
Exterior Color:			
Black			
Connection Style:			
Swivel nut flare 1st end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
16000.0 pounds per square inch			
Layer Composition And Location:			
1st layer braided steel wire and outer layer wrapped rubber, synthetic			
Maximum Operating Pressure:			
4000.0 pounds per square inch			
Thread Size:			
0.562 inches 1st end			
Seat Angle:			
37.0 degrees 1st end			
Flow Angle:			
90.0 degrees 2nd end			
Outer Covering Environmental Protection:			
Abrasion resistant			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			
35.000 inches excluding end fittings			
Special Features:			
Hose must have metal band with drexel part stamped on it			
Media For Which Designed:			

Fuel/oil, hydrocarbon single response

## NSN 4720-01-356-6809

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	<b>Designator:</b>
--------	--------	--------------------

Npt 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0