Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-358-6088

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.370 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response	
Outside Diameter:	
0.560 inches	
Minimum Inside Bending Radius:	
0.750 inches	
Exterior Color:	
Blue	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
900.0 pounds per square inch	
Maximum Operating Pressure:	
300.0 pounds per square inch	
Thread Size:	
0.563 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Hydrostatic Test Pressure:	
600.0 pounds per square inch	
Outer Covering Environmental Protection:	
Fire resistant	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
12.330 inches	
Supplementary Features:	
This item has been reviewed for asbestos material; the current approved sources, 00624 have indicated their part number contained asbetso	
prior to 1984, they continue to manufacture the same part number without asbestos material after 1984	
Thread Series Designator:	

Unjf 1st end

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0

