NSN 4720-01-359-0605

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-359-0605

| Cross Sectional Shape: |
|--|
| Round |
| Inside Diameter: |
| 0.312 inches |
| Tempurature Rating: |
| -100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.438 inches |
| Minimum Inside Bending Radius: |
| 4.000 inches |
| Exterior Color: |
| Natural |
| End Application: |
| 4940-01-276-6349 |
| Burst Test Pressure: |
| 8000.0 pounds per square inch single response |
| Layer Composition And Location: |
| Outer layer braided corrosion resistant steel wire |
| Maximum Operating Pressure: |
| 1500.0 pounds per square inch single response |
| Hydrostatic Test Pressure: |
| 4000.0 pounds per square inch single response |
| Vacuum In Torr: |
| 28.0 |
| Inside Surface Condition: |
| Smooth |
| Material: |
| Plastic polytetrafluoroethylene tube |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A541z0 |
| |
| |